

Article number 1739895
Parador GmbH
48653 Coesfeld

Date printed 22.03.2022, Revision 12.10.2021

Version 06. Supersedes version: 05

Page 1 / 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Parador Montagekleber

Article number: 1739895

UFI: -

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Adhesive

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company
Parador GmbH
Millenkamp 7-8
48653 Coesfeld
Phone +49 2541 736579
Fax +49 2541 736 8579
Homepage www.parador.de
E-mail info@parador.de

Address enquiries to

Technical information info@parador.de
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +49(0)89-19240
Company

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms none

Signal word none

Hazard statements none

Precautionary statements none

Special labelling EUH210 Safety data sheet available on request.
EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.
Contains: Trimethoxyvinylsilane, N-[3-(Trimethoxysilyl)propyl]ethylenediamine. EUH208 May produce an allergic reaction.

2.3 Other hazards

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Article number 1739895
Parador GmbH
48653 Coesfeld

Date printed 22.03.2022, Revision 12.10.2021

Version 06. Supersedes version: 05

Page 2 / 12

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
< 2	Titanium dioxide (<10µm) CAS: 13463-67-7, EINECS/ELINCS: 236-675-5, EU-INDEX: 022-006-002, Reg-No.: 01-2119489379-17-XXXX GHS/CLP: Carc. 2: H351
< 1	Trimethoxyvinylsilane CAS: 2768-02-7, EINECS/ELINCS: 220-449-8, EU-INDEX: 014-049-00-0, Reg-No.: 01-2119513215-52-XXXX GHS/CLP: Flam. Liq. 3: H226 - Acute Tox. 4: H332 - Skin Sens. 1B: H317
< 1	N-[3-(Trimethoxysilyl)propyl]ethylenediamine CAS: 1760-24-3, EINECS/ELINCS: 217-164-6 GHS/CLP: Skin Sens. 1B: H317 - Eye Dam. 1: H318 - Acute Tox. 4: H332 - STOT RE 2: H373

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Get medical advice. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	All extinguishing media are suitable but method must take into account the surrounding area to minimize dispersion.
Extinguishing media that must not be used	Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

Article number 1739895
Parador GmbH
48653 Coesfeld

Date printed 22.03.2022, Revision 12.10.2021

Version 06. Supersedes version: 05

Page 3 / 12

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.
Ensure adequate ventilation.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).
Take up mechanically.
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Wash hands before breaks and after work.
Use barrier skin cream.
Do not eat, drink or smoke when using this product.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Prevent penetration into the ground.
Do not store together with oxidizing agents.
Protect from heat/overheating.
Keep in a well-ventilated place.
Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

Article number 1739895
Parador GmbH
48653 Coesfeld

Date printed 22.03.2022, Revision 12.10.2021

Version 06. Supersedes version: 05

Page 4 / 12

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Titanium dioxide
CAS: 13463-67-7, EINECS/ELINCS: 236-675-5, Reg-No.: 01-2119489379-17-XXXX
Long-term exposure: 4 mg/m ³ , respirable; total inhalable: TWA=10 mg/m ³
Methanol
CAS: 67-56-1, EINECS/ELINCS: 200-659-6, EU-INDEX: 603-001-00-X
Long-term exposure: 200 ppm, 266 mg/m ³ , Sk
Short-term exposure (15-minute): 250 ppm, 333 mg/m ³

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Methanol
CAS: 67-56-1, EINECS/ELINCS: 200-659-6, EU-INDEX: 603-001-00-X
Eight hours: 200 ppm, 260 mg/m ³ , H

DNEL

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
Industrial, inhalative, Acute - systemic effects, 260 mg/m ³
Industrial, dermal, Long-term - systemic effects, 3,9 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 27,6 mg/m ³
general population, oral, Long-term - systemic effects, 0,3 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 7,8 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 6,7 mg/m ³

PNEC

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
sediment (seawater), 0,15 mg/kg dw
sediment (freshwater), 1,5 mg/kg dw
seawater, 40 µg/L
soil, 0.06 mg/kg dw
freshwater, 400 µg/L
Titanium dioxide (<10µm), CAS: 13463-67-7
oral (food), 1667 mg/kg
soil, 100 mg/kg
sediment (seawater), 100 mg/kg
sediment (freshwater), 1000 mg/kg
sewage treatment plants (STP), 100 mg/l
seawater, 1 mg/l
freshwater, 0,127 mg/l

Article number 1739895
Parador GmbH
48653 Coesfeld

Date printed 22.03.2022, Revision 12.10.2021

Version 06. Supersedes version: 05

Page 5 / 12

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0,4 mm/ Butyl rubber, >120 min (EN 374-1/-2/-3).
Skin protection	not applicable
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Respiratory protection mask in the event of high concentrations.
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	pasty
Color	various see product designation
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	No information available.
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm³]	1,53
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	> 20,5 mm²/s (40°C)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature [°C]	not applicable
Particle characteristics	No information available.

9.2 Other information

No information available.

Article number 1739895

Parador GmbH

48653 Coesfeld

Date printed 22.03.2022, Revision 12.10.2021

Version 06. Supersedes version: 05

Page 6 / 12

SECTION 10: Stability and reactivity

10.1 Reactivity

Reactions with water.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Sensitive to moisture.

Strong heating.

10.5 Incompatible materials

Strong basic compounds

Strong acids.

10.6 Hazardous decomposition products

Contact with moisture liberates Methanol.

Article number 1739895
Parador GmbH
48653 Coesfeld

Date printed 22.03.2022, Revision 12.10.2021

Version 06. Supersedes version: 05

Page 7 / 12

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
LD50, oral, Rat, 7120 mg/kg (OECD TG 401)
NOAEL, oral, Rat, < 62,5 mg/kg (28 d) (OECD TG 422)
Titanium dioxide (<10µm), CAS: 13463-67-7
LD50, oral, Rat, > 5000 mg/kg OECD 425
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
LD50, oral, Rat, 2295 mg/kg

Acute dermal toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
LD50, dermal, Rabbit, 3259 mg/kg bw
Titanium dioxide (<10µm), CAS: 13463-67-7
LD50, dermal, Rabbit, > 5000 mg/kg
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
LD50, dermal, Rabbit, > 2000 mg/kg

Acute inhalational toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
LD50, inhalative, Rat, 16,8 mg/l (4 h) (OECD TG 403)
NOAEL, inhalative, Rat, 0,058 mg/l (98 d)
Titanium dioxide (<10µm), CAS: 13463-67-7
LC50, inhalativ (dust), Rat, > 6,8 mg/l 4h
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
LC50, inhalative, Rat, 1,49 - 2,44 mg/L/4h

Serious eye damage/irritation

Toxicological data of complete product are not available.
No classification.
Calculation method

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
Eye, Rabbit, OECD 405, 24h, non-irritating
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
corrosive

Article number 1739895

Parador GmbH

48653 Coesfeld

Date printed 22.03.2022, Revision 12.10.2021

Version 06. Supersedes version: 05

Page 8 / 12

Skin corrosion/irritation

Toxicological data of complete product are not available.
No classification.
Calculation method

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
dermal, Rabbit, 24h, non-irritating
Titanium dioxide (<10µm), CAS: 13463-67-7
OECD 404, non-irritating
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
no adverse effect observed

Respiratory or skin sensitisation

Toxicological data of complete product are not available.
May produce an allergic reaction.
Calculation method

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
dermal, ECHA, sensitising
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
sensitising

Specific target organ toxicity — single exposure

Toxicological data of complete product are not available.
No classification.
Calculation method

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
NOAEL, inhalation (vapour), Rat, 0,058 mg/kg, OECD 413

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
in vitro, OECD 471, negativ
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
no adverse effect observed

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
Rat, OECD 422, negativ
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
NOAEL, oral, Rat, 500 mg/kg bw/d (Effect on fertility), no adverse effect observed

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Titanium dioxide (<10µm), CAS: 13463-67-7
Harmonised classification: Carc. 2 H351

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

Article number 1739895
Parador GmbH
48653 Coesfeld

Date printed 22.03.2022, Revision 12.10.2021

Version 06. Supersedes version: 05

Page 9 / 12

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

Endocrine disrupting properties	No information available.
Other information	none

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
LC50, (96h), Oncorhynchus mykiss, 191 mg/l
EC50, Pseudokirchneriella subcapitata, 210 mg/l (7 d) (US-EPA)
EC50, (48h), Daphnia magna, 168,7 mg/l (92/69/EWG C.2)
EC10, Pseudomonas putida, 1000 mg/l (5 h)
Titanium dioxide (<10µm), CAS: 13463-67-7
LC50, (48h), Daphnia magna, > 100 mg/l
LC50, (96h), Pimephales promelas, > 1000 mg/l
EC50, (72h), Pseudokirchneriella subcapitata, 16 mg/l
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
LC50, (96h), fish, > 100 mg/L
EC50, (48h), Daphnia magna, 81 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not applicable
Biological degradability	not applicable

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required or not conducted.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

The product is insoluble in water.
Ecological data of complete product are not available.
No classification on the basis of the calculation procedure of the preparation directive.

Article number 1739895
Parador GmbH
48653 Coesfeld

Date printed 22.03.2022, Revision 12.10.2021

Version 06. Supersedes version: 05

Page 10 / 12

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the disposal contractor/authorities if necessary.

Waste no. (recommended)

080410

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.
Uncontaminated packaging may be taken for recycling.

Waste no. (recommended)

150102
150104

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

Marine transport in accordance with IMDG

NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with IMDG

not applicable

Air transport in accordance with IATA not applicable

Article number 1739895
Parador GmbH
48653 Coesfeld

Date printed 22.03.2022, Revision 12.10.2021

Version 06. Supersedes version: 05

Page 11 / 12

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- Observe employment restrictions for people not applicable

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H226 Flammable liquid and vapour.
H373 May cause damage to organs through prolonged or repeated exposure.
H332 Harmful if inhaled.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

Article number 1739895

Parador GmbH

48653 Coesfeld

Date printed 22.03.2022, Revision 12.10.2021

Version 06. Supersedes version: 05

Page 12 / 12

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 EL50 = Median effective loading
 ELINCS = European List of Notified Chemical Substances
 EmS = Emergency Schedules
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 IVIS = In vitro irritation score
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 LL50 = Median lethal loading
 LQ = Limited Quantities
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV®/TWA = Threshold limit value – time-weighted average
 TLV®STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information**Customs Tariff**

not determined

Classification procedure**Modified position**

SECTION 3 been added: Trimethoxyvinylsilane

SECTION 3 been added: N-[3-(Trimethoxysilyl)propyl]ethylenediamine

SECTION 3 been added: Titanium dioxide (<10µm)

SECTION 2 been added: EUH208 May produce an allergic reaction.

SECTION 2 been added: EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Copyright: Chemiebüro®